The Mosler Safe Company



PRODUCT CATALOG

Security for what matters most.

21 safe ranges. 126 model sizes.
For residential and commercial projects.

support@mosler-safe.com

November 2026 | EN

The collection

Choose a range to explore specifications and available sizes.

DOCUMENT SAFES

Mosler TSS	DIN 4102	3
Mosler TSF	EN 14450 · S2	4
Mosler SPS	EN 1143-1 · I	5
Mosler SDS	EN 1143-1 · I	6

DATA MEDIA SAFES

Mosler S	EN 1047-1 · S120DIS	7
Mosler SE	EN 1143-1 · II	8

COMPACT SAFES

Mosler MT	EN 14450 · S2	9
Mosler EM	EN 1143-1 · I	10
Mosler ZM	EN 1143-1 · II	11

SECURITY SAFES

Mosler S-0	EN 1143-1 · 0	12
Mosler S-I	EN 1143-1 · I	13
Mosler S-I-FS	EN 1143-1 · I	14
Mosler S-II	EN 1143-1 · II	15
Mosler S-II-FS	EN 1143-1 · II	16
Mosler S-III	EN 1143-1 · III	17
Mosler S-III-FS	EN 1143-1 · III	18
Mosler S-IV	EN 1143-1 · IV	19
Mosler S-IV KB	EN 1143-1 · IV KB	20
Mosler S-V	EN 1143-1 · V	21
Mosler S-V KB	EN 1143-1 · V KB	22
Mosler S-VI	EN 1143-1 · VI	23

Mosler TSS

Document storage for larger paper collections, with adjustable shelving and four cabinet sizes.

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler TSS 1	59.1 × 27.6 × 21.7 in 1500 × 700 × 550 mm	53.5 × 23.0 × 18.1 in 1360 × 585 × 460 mm	264.6 lb 120 kg	12.75 ft³ 361 L	3
Mosler TSS 2	76.8 × 27.6 × 21.7 in 1950 × 700 × 550 mm	70.1 × 23.0 × 18.1 in 1780 × 585 × 460 mm	352.7 lb 160 kg	17.06 ft³ 483 L	4
Mosler TSS 3	76.8 × 37.4 × 21.7 in 1950 × 950 × 550 mm	70.1 × 32.9 × 18.1 in 1780 × 835 × 460 mm	403.4 lb 183 kg	24.12 ft³ 683 L	4
Mosler TSS 4	76.8 × 49.6 × 21.7 in 1950 × 1260 × 550 mm	70.1 × 45.1 × 18.1 in 1780 × 1145 × 460 mm	511.5 lb 232 kg	33.23 ft³ 941 L	4

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler TSF

Document safe range combining EN 14450 S2 burglary protection with LFS 30P fire protection.

BURGLARY CLASSIFICATION

EN 14450 · S2

FIRE-RELATED REFERENCE

EN 15659 · LFS 30P

STANDARD LOCK

Double-bit key lock; two keys

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler TSF 1	39.4 × 27.6 × 21.7 in 1000 × 700 × 550 mm	29.5 × 20.5 × 15.4 in 750 × 520 × 390 mm	374.8 lb 170 kg	5.37 ft³ 152 L	2
Mosler TSF 2	59.1 × 27.6 × 21.7 in 1500 × 700 × 550 mm	49.2 × 20.5 × 15.4 in 1250 × 520 × 390 mm	551.2 lb 250 kg	8.93 ft³ 253 L	3
Mosler TSF 3	76.8 × 27.6 × 21.7 in 1950 × 700 × 550 mm	66.9 × 20.5 × 15.4 in 1700 × 520 × 390 mm	606.3 lb 275 kg	12.15 ft³ 344 L	4
Mosler TSF 4	39.4 × 37.4 × 21.7 in 1000 × 950 × 550 mm	29.5 × 30.3 × 15.4 in 750 × 770 × 390 mm	401.2 lb 182 kg	7.95 ft³ 225 L	2
Mosler TSF 5	39.4 × 47.2 × 21.7 in 1000 × 1200 × 550 mm	29.5 × 40.2 × 15.4 in 750 × 1020 × 390 mm	507.1 lb 230 kg	10.52 ft³ 298 L	2
Mosler TSF 6	76.8 × 37.4 × 21.7 in 1950 × 950 × 550 mm	66.9 × 30.3 × 15.4 in 1700 × 770 × 390 mm	784.8 lb 356 kg	18.01 ft³ 510 L	4
Mosler TSF 7	76.8 × 47.2 × 21.7 in 1950 × 1200 × 550 mm	66.9 × 40.2 × 15.4 in 1700 × 1020 × 390 mm	948.0 lb 430 kg	23.87 ft³ 676 L	4

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler SPS

Document safes with Grade I burglary protection and an S 60 P fire classification.

BURGLARY CLASSIFICATION

EN 1143-1 · I

FIRE-RELATED REFERENCE

EN 1047-1 · S60P

STANDARD LOCK

Double-bit key lock; two keys

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler SPS 1	42.4 × 31.3 × 23.0 in 1077 × 794 × 584 mm	30.9 × 25.1 × 13.8 in 786 × 637 × 351 mm	668.0 lb 303 kg	5.93 ft³ 168 L	1
Mosler SPS 2	46.3 × 31.3 × 23.0 in 1177 × 794 × 584 mm	34.9 × 25.1 × 13.8 in 886 × 637 × 351 mm	815.7 lb 370 kg	6.99 ft³ 198 L	1
Mosler SPS 3	51.5 × 31.3 × 23.0 in 1309 × 794 × 584 mm	40.1 × 25.1 × 13.8 in 1018 × 637 × 351 mm	890.7 lb 404 kg	8.51 ft³ 241 L	2
Mosler SPS 4	61.9 × 31.3 × 23.0 in 1573 × 794 × 584 mm	50.5 × 25.1 × 13.8 in 1282 × 637 × 351 mm	1086.9 lb 493 kg	10.31 ft³ 292 L	2
Mosler SPS 5	65.6 × 31.3 × 23.0 in 1667 × 794 × 584 mm	54.2 × 25.1 × 13.8 in 1376 × 637 × 351 mm	1164.0 lb 528 kg	11.05 ft³ 313 L	3
Mosler SPS 6	73.7 × 31.3 × 23.0 in 1873 × 794 × 584 mm	62.3 × 25.1 × 13.8 in 1582 × 637 × 351 mm	1243.4 lb 564 kg	12.50 ft³ 354 L	3

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler SDS

Document safes combining Grade I burglary resistance with the S120P fire classification.

BURGLARY CLASSIFICATION

EN 1143-1 · I

FIRE-RELATED REFERENCE

EN 1047-1 · S120P

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler SDS 1	42.4 × 31.3 × 23.6 in 1077 × 794 × 599 mm	30.9 × 25.1 × 13.8 in 786 × 637 × 351 mm	685.6 lb 311 kg	5.93 ft³ 168 L	1
Mosler SDS 2	46.3 × 31.3 × 23.6 in 1177 × 794 × 599 mm	34.9 × 25.1 × 13.8 in 886 × 637 × 351 mm	837.8 lb 380 kg	6.99 ft³ 198 L	1
Mosler SDS 3	51.5 × 31.3 × 23.6 in 1309 × 794 × 599 mm	40.1 × 25.1 × 13.8 in 1018 × 637 × 351 mm	912.7 lb 414 kg	8.51 ft³ 241 L	2
Mosler SDS 4	61.9 × 31.3 × 23.6 in 1573 × 794 × 599 mm	50.5 × 25.1 × 13.8 in 1282 × 637 × 351 mm	1113.3 lb 505 kg	10.31 ft³ 292 L	2
Mosler SDS 5	65.6 × 31.3 × 23.6 in 1667 × 794 × 599 mm	54.2 × 25.1 × 13.8 in 1376 × 637 × 351 mm	1190.5 lb 540 kg	11.05 ft³ 313 L	3

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S

Data media safes with an S120DIS classification and five cabinet sizes.

FIRE-RELATED REFERENCE

EN 1047-1 · S120DIS

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S 1	28.8 × 30.9 × 36.1 in 732 × 786 × 918 mm	13.1 × 17.5 × 18.5 in 332 × 444 × 470 mm	634.9 lb 288 kg	2.51 ft³ 71 L	-
Mosler S 2	41.4 × 30.9 × 36.1 in 1052 × 786 × 918 mm	25.7 × 17.5 × 18.5 in 652 × 444 × 470 mm	837.8 lb 380 kg	4.91 ft³ 139 L	-
Mosler S 3	51.0 × 30.9 × 36.1 in 1295 × 786 × 918 mm	35.2 × 17.5 × 18.5 in 895 × 444 × 470 mm	981.1 lb 445 kg	6.75 ft³ 191 L	-
Mosler S 4	72.8 × 30.9 × 36.1 in 1850 × 786 × 918 mm	57.1 × 17.5 × 18.5 in 1450 × 444 × 470 mm	1391.1 lb 631 kg	10.95 ft³ 310 L	-
Mosler S 5	72.8 × 47.0 × 36.1 in 1850 × 1195 × 918 mm	57.1 × 33.7 × 18.5 in 1450 × 855 × 470 mm	2032.7 lb 922 kg	20.84 ft³ 590 L	-

Additional hardware depth: 3.3 in / 85 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler SE

Data media safes combining Grade II burglary protection and the S120DIS fire classification.

BURGLARY CLASSIFICATION

EN 1143-1 · II

FIRE-RELATED REFERENCE

EN 1047-1 · S120DIS

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler SE 1	28.8 × 30.9 × 36.1 in 732 × 786 × 918 mm	13.1 × 17.5 × 18.5 in 332 × 444 × 470 mm	705.5 lb 320 kg	2.51 ft³ 71 L	-
Mosler SE 2	41.4 × 30.9 × 36.1 in 1052 × 786 × 918 mm	25.7 × 17.5 × 18.5 in 652 × 444 × 470 mm	1014.1 lb 460 kg	4.91 ft³ 139 L	-
Mosler SE 3	51.0 × 30.9 × 36.1 in 1295 × 786 × 918 mm	35.2 × 17.5 × 18.5 in 895 × 444 × 470 mm	1197.1 lb 543 kg	6.75 ft³ 191 L	-
Mosler SE 4	72.8 × 30.9 × 36.1 in 1850 × 786 × 918 mm	57.1 × 17.5 × 18.5 in 1450 × 444 × 470 mm	1730.6 lb 785 kg	10.95 ft³ 310 L	-
Mosler SE 5	72.8 × 47.0 × 36.1 in 1850 × 1195 × 918 mm	57.1 × 33.7 × 18.5 in 1450 × 855 × 470 mm	2535.3 lb 1150 kg	20.84 ft³ 590 L	-

Additional hardware depth: 3.3 in / 85 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler MT

Compact safes with EN 14450 S2 protection, a 90° door opening, and five sizes.

BURGLARY CLASSIFICATION

EN 14450 · S2

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Double-bit key lock or mechanical combination lock

DOOR OPENING

90°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler MT 1	13.0 × 18.1 × 15.4 in 330 × 460 × 390 mm	9.9 × 15.2 × 11.8 in 252 × 385 × 300 mm	119.0 lb 54 kg	1.02 ft³ 29 L	1
Mosler MT 2	18.1 × 18.1 × 15.4 in 460 × 460 × 390 mm	15.0 × 15.2 × 11.8 in 382 × 385 × 300 mm	141.1 lb 64 kg	1.55 ft³ 44 L	1
Mosler MT 3	24.0 × 18.1 × 15.4 in 610 × 460 × 390 mm	20.9 × 15.2 × 11.8 in 532 × 385 × 300 mm	174.2 lb 79 kg	2.15 ft³ 61 L	1
Mosler MT 4	24.0 × 23.6 × 19.7 in 610 × 600 × 500 mm	20.9 × 20.7 × 16.1 in 532 × 525 × 410 mm	238.1 lb 108 kg	4.03 ft³ 114 L	1
Mosler MT 5	35.4 × 23.6 × 19.7 in 900 × 600 × 500 mm	31.6 × 19.9 × 16.3 in 802 × 505 × 414 mm	306.4 lb 139 kg	5.90 ft³ 167 L	2

Additional hardware depth: 0.6 in / 15 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler EM

Compact Grade I safes with key or electronic locking options.

BURGLARY CLASSIFICATION

EN 1143-1 · I

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Double-bit key lock or electronic combination lock

DOOR OPENING

90°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler EM 1	13.0 × 17.7 × 15.7 in 330 × 450 × 400 mm	9.4 × 14.2 × 11.8 in 240 × 360 × 300 mm	116.8 lb 53 kg	0.92 ft³ 26 L	1
Mosler EM 2	17.7 × 17.7 × 15.7 in 450 × 450 × 400 mm	14.2 × 14.2 × 11.8 in 360 × 360 × 300 mm	145.5 lb 66 kg	1.38 ft³ 39 L	1
Mosler EM 3	22.4 × 17.7 × 15.7 in 570 × 450 × 400 mm	18.9 × 14.2 × 11.8 in 480 × 360 × 300 mm	174.2 lb 79 kg	1.84 ft³ 52 L	1
Mosler EM 4	27.2 × 17.7 × 15.7 in 690 × 450 × 400 mm	23.6 × 14.2 × 11.8 in 600 × 360 × 300 mm	202.8 lb 92 kg	2.30 ft³ 65 L	2
Mosler EM 5	33.5 × 17.7 × 15.7 in 850 × 450 × 400 mm	29.9 × 14.2 × 11.8 in 760 × 360 × 300 mm	235.9 lb 107 kg	2.90 ft³ 82 L	2

Additional hardware depth: 0.6 in / 15 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler ZM

Compact Grade II safes with five sizes for different storage requirements.

BURGLARY CLASSIFICATION

EN 1143-1 · II

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Double-bit key lock or electronic combination lock

DOOR OPENING

90°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler ZM 1	13.8 × 17.7 × 15.7 in 350 × 450 × 400 mm	9.8 × 13.8 × 11.6 in 250 × 350 × 295 mm	147.7 lb 67 kg	0.92 ft³ 26 L	1
Mosler ZM 2	17.7 × 17.7 × 15.7 in 450 × 450 × 400 mm	13.8 × 13.8 × 11.6 in 350 × 350 × 295 mm	172.0 lb 78 kg	1.27 ft³ 36 L	1
Mosler ZM 3	21.7 × 17.7 × 15.7 in 550 × 450 × 400 mm	17.7 × 13.8 × 11.6 in 450 × 350 × 295 mm	205.0 lb 93 kg	1.66 ft³ 47 L	1
Mosler ZM 4	27.6 × 17.7 × 15.7 in 700 × 450 × 400 mm	23.6 × 13.8 × 11.6 in 600 × 350 × 295 mm	242.5 lb 110 kg	2.19 ft³ 62 L	2
Mosler ZM 5	33.5 × 17.7 × 15.7 in 850 × 450 × 400 mm	29.5 × 13.8 × 11.6 in 750 × 350 × 295 mm	308.6 lb 140 kg	3.11 ft³ 88 L	2

Additional hardware depth: 0.6 in / 15 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-0

Security safe range with EN 1143-1 · 0. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · 0

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-0 1	31.5 × 23.6 × 19.7 in 800 × 600 × 500 mm	26.4 × 18.1 × 14.2 in 670 × 460 × 360 mm	551.2 lb 250 kg	3.92 ft³ 111 L	2
Mosler S-0 2	39.4 × 23.6 × 19.7 in 1000 × 600 × 500 mm	34.3 × 18.1 × 14.2 in 870 × 460 × 360 mm	661.4 lb 300 kg	5.09 ft³ 144 L	2
Mosler S-0 3	47.2 × 23.6 × 19.7 in 1200 × 600 × 500 mm	42.1 × 18.1 × 14.2 in 1070 × 460 × 360 mm	661.4 lb 300 kg	6.25 ft³ 177 L	3
Mosler S-0 4	55.1 × 23.6 × 19.7 in 1400 × 600 × 500 mm	50.0 × 18.1 × 14.2 in 1270 × 460 × 360 mm	661.4 lb 300 kg	7.42 ft³ 210 L	3
Mosler S-0 5	63.0 × 27.6 × 19.7 in 1600 × 700 × 500 mm	57.9 × 22.0 × 14.2 in 1470 × 560 × 360 mm	661.4 lb 300 kg	10.45 ft³ 296 L	3
Mosler S-0 6	70.9 × 27.6 × 19.7 in 1800 × 700 × 500 mm	65.7 × 22.0 × 14.2 in 1670 × 560 × 360 mm	727.5 lb 330 kg	11.90 ft³ 337 L	4

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-I

Security safe range with EN 1143-1 · I. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · I

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-I 1	31.5 × 24.6 × 23.6 in 800 × 625 × 600 mm	25.7 × 18.9 × 15.4 in 654 × 480 × 392 mm	529.1 lb 240 kg	4.34 ft³ 123 L	1
Mosler S-I 2	41.3 × 24.6 × 23.6 in 1050 × 625 × 600 mm	35.6 × 18.9 × 15.4 in 904 × 480 × 392 mm	661.4 lb 300 kg	6.00 ft³ 170 L	2
Mosler S-I 3	47.2 × 28.0 × 23.6 in 1200 × 710 × 600 mm	41.5 × 22.2 × 15.4 in 1054 × 565 × 392 mm	683.4 lb 310 kg	8.23 ft³ 233 L	2
Mosler S-I 4	57.1 × 28.0 × 23.6 in 1450 × 710 × 600 mm	51.3 × 22.2 × 15.4 in 1304 × 565 × 392 mm	705.5 lb 320 kg	10.17 ft³ 288 L	2
Mosler S-I 5	63.0 × 28.0 × 23.6 in 1600 × 710 × 600 mm	57.2 × 22.2 × 15.4 in 1454 × 565 × 392 mm	793.7 lb 360 kg	11.37 ft³ 322 L	3
Mosler S-I 6	72.8 × 31.3 × 23.6 in 1850 × 795 × 600 mm	67.1 × 25.6 × 15.4 in 1704 × 650 × 392 mm	815.7 lb 370 kg	15.33 ft³ 434 L	3
Mosler S-I 7	72.8 × 48.2 × 25.2 in 1850 × 1225 × 640 mm	67.1 × 42.5 × 17.0 in 1704 × 1079 × 432 mm	1146.4 lb 520 kg	28.04 ft³ 794 L	3

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-I-FS

Security safe range with EN 1143-1 · I and EN 15659 · LFS 60P. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · I

FIRE-RELATED REFERENCE

EN 15659 · LFS 60P

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-I FS 1	31.5 × 24.6 × 23.6 in 800 × 625 × 600 mm	25.7 × 18.9 × 15.4 in 654 × 480 × 392 mm	551.2 lb 250 kg	4.34 ft³ 123 L	1
Mosler S-I FS 2	41.3 × 24.6 × 23.6 in 1050 × 625 × 600 mm	35.6 × 18.9 × 15.4 in 904 × 480 × 392 mm	683.4 lb 310 kg	6.00 ft³ 170 L	2
Mosler S-I FS 3	47.2 × 28.0 × 23.6 in 1200 × 710 × 600 mm	41.5 × 22.2 × 15.4 in 1054 × 565 × 392 mm	837.8 lb 380 kg	8.23 ft³ 233 L	2
Mosler S-I FS 4	57.1 × 28.0 × 23.6 in 1450 × 710 × 600 mm	51.3 × 22.2 × 15.4 in 1304 × 565 × 392 mm	992.1 lb 450 kg	10.17 ft³ 288 L	2
Mosler S-I FS 5	63.0 × 28.0 × 23.6 in 1600 × 710 × 600 mm	57.2 × 22.2 × 15.4 in 1454 × 565 × 392 mm	1058.2 lb 480 kg	11.37 ft³ 322 L	3
Mosler S-I FS 6	72.8 × 31.3 × 23.6 in 1850 × 795 × 600 mm	67.1 × 25.6 × 15.4 in 1704 × 650 × 392 mm	1364.7 lb 619 kg	15.33 ft³ 434 L	3

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-II

Security safe range with EN 1143-1 · II. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · II

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-II 1	31.5 × 24.6 × 23.6 in 800 × 625 × 600 mm	24.4 × 17.3 × 16.5 in 620 × 440 × 420 mm	661.4 lb 300 kg	3.92 ft³ 111 L	1
Mosler S-II 2	41.3 × 24.6 × 23.6 in 1050 × 625 × 600 mm	34.3 × 17.3 × 16.5 in 870 × 440 × 420 mm	661.4 lb 300 kg	5.54 ft³ 157 L	2
Mosler S-II 3	47.2 × 28.5 × 23.6 in 1200 × 725 × 600 mm	40.2 × 21.3 × 16.5 in 1020 × 540 × 420 mm	705.5 lb 320 kg	7.98 ft³ 226 L	2
Mosler S-II 4	57.1 × 28.5 × 23.6 in 1450 × 725 × 600 mm	50.0 × 21.3 × 16.5 in 1270 × 540 × 420 mm	837.8 lb 380 kg	9.92 ft³ 281 L	2
Mosler S-II 5	63.0 × 28.5 × 23.6 in 1600 × 725 × 600 mm	55.9 × 21.3 × 16.5 in 1420 × 540 × 420 mm	948.0 lb 430 kg	11.09 ft³ 314 L	3
Mosler S-II 6	72.8 × 32.5 × 23.6 in 1850 × 825 × 600 mm	65.7 × 25.2 × 16.5 in 1670 × 640 × 420 mm	1190.5 lb 540 kg	15.47 ft³ 438 L	3
Mosler S-II 7	72.8 × 48.2 × 25.2 in 1850 × 1225 × 640 mm	65.7 × 40.9 × 17.7 in 1670 × 1040 × 450 mm	1587.3 lb 720 kg	27.62 ft³ 782 L	3

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-II-FS

Security safe range with EN 1143-1 · II and EN 15659 · LFS 60P. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · II

FIRE-RELATED REFERENCE

EN 15659 · LFS 60P

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-II FS 1	31.5 × 24.6 × 23.6 in 800 × 625 × 600 mm	25.7 × 18.9 × 15.4 in 654 × 480 × 392 mm	661.4 lb 300 kg	4.34 ft³ 123 L	1
Mosler S-II FS 2	41.3 × 24.6 × 23.6 in 1050 × 625 × 600 mm	35.6 × 18.9 × 15.4 in 904 × 480 × 392 mm	771.6 lb 350 kg	6.00 ft³ 170 L	2
Mosler S-II FS 3	47.2 × 28.0 × 23.6 in 1200 × 710 × 600 mm	41.5 × 22.2 × 15.4 in 1054 × 565 × 392 mm	948.0 lb 430 kg	7.88 ft³ 223 L	2
Mosler S-II FS 4	57.1 × 28.0 × 23.6 in 1450 × 710 × 600 mm	51.3 × 22.2 × 15.4 in 1304 × 565 × 392 mm	1256.6 lb 570 kg	10.17 ft³ 288 L	2
Mosler S-II FS 5	63.0 × 28.0 × 23.6 in 1600 × 710 × 600 mm	57.2 × 22.2 × 15.4 in 1454 × 565 × 392 mm	1455.1 lb 660 kg	11.37 ft³ 322 L	3
Mosler S-II FS 6	72.8 × 31.3 × 23.6 in 1850 × 795 × 600 mm	67.1 × 25.6 × 15.4 in 1704 × 650 × 392 mm	1543.2 lb 700 kg	15.33 ft³ 434 L	3

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-III

Security safe range with EN 1143-1 · III. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · III

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-III 1	27.2 × 24.4 × 22.8 in 690 × 620 × 580 mm	20.1 × 17.7 × 13.4 in 510 × 450 × 340 mm	881.8 lb 400 kg	2.75 ft³ 78 L	1
Mosler S-III 2	33.9 × 24.4 × 22.8 in 860 × 620 × 580 mm	26.8 × 17.7 × 13.4 in 680 × 450 × 340 mm	1124.4 lb 510 kg	3.67 ft³ 104 L	1
Mosler S-III 3	40.6 × 24.4 × 22.8 in 1030 × 620 × 580 mm	33.5 × 17.7 × 13.4 in 850 × 450 × 340 mm	1256.6 lb 570 kg	4.59 ft³ 130 L	2
Mosler S-III 4	47.2 × 24.4 × 22.8 in 1200 × 620 × 580 mm	40.2 × 17.7 × 13.4 in 1020 × 450 × 340 mm	1388.9 lb 630 kg	5.51 ft³ 156 L	2
Mosler S-III 5	47.2 × 32.5 × 27.6 in 1200 × 825 × 700 mm	40.2 × 25.8 × 18.1 in 1020 × 655 × 460 mm	1873.9 lb 850 kg	10.84 ft³ 307 L	2
Mosler S-III 6	54.3 × 32.5 × 27.6 in 1380 × 825 × 700 mm	47.2 × 25.8 × 18.1 in 1200 × 655 × 460 mm	2094.4 lb 950 kg	12.75 ft³ 361 L	3
Mosler S-III 7	68.1 × 32.5 × 27.6 in 1730 × 825 × 700 mm	61.0 × 25.8 × 18.1 in 1550 × 655 × 460 mm	2535.3 lb 1150 kg	16.49 ft³ 467 L	4
Mosler S-III 8	70.9 × 46.9 × 28.7 in 1800 × 1190 × 730 mm	63.8 × 40.2 × 19.3 in 1620 × 1020 × 490 mm	3196.7 lb 1450 kg	26.84 ft³ 760 L	4

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-III-FS

Security safe range with EN 1143-1 · III and EN 15659 · LFS 30P. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · III

FIRE-RELATED REFERENCE

EN 15659 · LFS 30P

STANDARD LOCK

Double-bit key lock; two keys

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-III FS 1	27.2 × 24.4 × 22.8 in 690 × 620 × 580 mm	20.1 × 17.7 × 13.4 in 510 × 450 × 340 mm	881.8 lb 400 kg	2.75 ft³ 78 L	1
Mosler S-III FS 2	33.9 × 24.4 × 22.8 in 860 × 620 × 580 mm	26.8 × 17.7 × 13.4 in 680 × 450 × 340 mm	1124.4 lb 510 kg	3.67 ft³ 104 L	1
Mosler S-III FS 3	40.6 × 24.4 × 22.8 in 1030 × 620 × 580 mm	33.5 × 17.7 × 13.4 in 850 × 450 × 340 mm	1256.6 lb 570 kg	4.59 ft³ 130 L	2
Mosler S-III FS 4	47.2 × 24.4 × 22.8 in 1200 × 620 × 580 mm	40.2 × 17.7 × 13.4 in 1020 × 450 × 340 mm	1388.9 lb 630 kg	5.51 ft³ 156 L	2
Mosler S-III FS 5	47.2 × 32.5 × 27.6 in 1200 × 825 × 700 mm	40.2 × 25.8 × 18.1 in 1020 × 655 × 460 mm	1873.9 lb 850 kg	10.84 ft³ 307 L	2
Mosler S-III FS 6	54.3 × 32.5 × 27.6 in 1380 × 825 × 700 mm	47.2 × 25.8 × 18.1 in 1200 × 655 × 460 mm	2094.4 lb 950 kg	12.75 ft³ 361 L	3
Mosler S-III FS 7	68.1 × 32.5 × 27.6 in 1730 × 825 × 700 mm	61.0 × 25.8 × 18.1 in 1550 × 655 × 460 mm	2535.3 lb 1150 kg	16.49 ft³ 467 L	3

Additional hardware depth: 3.1 in / 80 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-IV

Security safe range with EN 1143-1 · IV. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · IV

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Two double-bit key locks; two keys per lock

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-IV 1	33.9 × 24.4 × 22.8 in 860 × 620 × 580 mm	26.8 × 17.7 × 13.4 in 680 × 450 × 340 mm	1212.5 lb 550 kg	3.50 ft³ 99 L	1
Mosler S-IV 2	40.6 × 24.4 × 22.8 in 1030 × 620 × 580 mm	33.5 × 17.7 × 13.4 in 850 × 450 × 340 mm	1388.9 lb 630 kg	4.38 ft³ 124 L	2
Mosler S-IV 3	47.2 × 24.4 × 22.8 in 1200 × 620 × 580 mm	40.2 × 17.7 × 13.4 in 1020 × 450 × 340 mm	1521.2 lb 690 kg	5.26 ft³ 149 L	2
Mosler S-IV 4	47.2 × 32.5 × 27.6 in 1200 × 825 × 700 mm	40.2 × 25.8 × 18.1 in 1020 × 655 × 460 mm	2116.4 lb 960 kg	10.49 ft³ 297 L	2
Mosler S-IV 5	54.3 × 32.5 × 27.6 in 1380 × 825 × 700 mm	47.2 × 25.8 × 18.1 in 1200 × 655 × 460 mm	2425.1 lb 1100 kg	12.32 ft³ 349 L	3
Mosler S-IV 6	68.1 × 32.5 × 27.6 in 1730 × 825 × 700 mm	61.0 × 25.8 × 18.1 in 1550 × 655 × 460 mm	2844.0 lb 1290 kg	15.93 ft³ 451 L	4
Mosler S-IV 7	70.9 × 46.9 × 28.7 in 1800 × 1190 × 730 mm	63.8 × 40.2 × 19.3 in 1620 × 1020 × 490 mm	3703.8 lb 1680 kg	25.96 ft³ 735 L	4

Additional hardware depth: 2.4 in / 60 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-IV KB

Security safe range with EN 1143-1 · IV KB. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · IV KB

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Two double-bit key locks; two keys per lock

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-IV KB 1	33.9 × 24.4 × 22.8 in 860 × 620 × 580 mm	26.8 × 17.7 × 13.4 in 680 × 450 × 340 mm	1234.6 lb 560 kg	3.50 ft³ 99 L	1
Mosler S-IV KB 2	40.6 × 24.4 × 22.8 in 1030 × 620 × 580 mm	33.5 × 17.7 × 13.4 in 850 × 450 × 340 mm	1433.0 lb 650 kg	4.38 ft³ 124 L	2
Mosler S-IV KB 3	47.2 × 24.4 × 22.8 in 1200 × 620 × 580 mm	40.2 × 17.7 × 13.4 in 1020 × 450 × 340 mm	1587.3 lb 720 kg	5.26 ft³ 149 L	2
Mosler S-IV KB 4	47.2 × 32.5 × 27.6 in 1200 × 825 × 700 mm	40.2 × 25.8 × 18.1 in 1020 × 655 × 460 mm	2160.5 lb 980 kg	10.49 ft³ 297 L	2
Mosler S-IV KB 5	54.3 × 32.5 × 27.6 in 1380 × 825 × 700 mm	47.2 × 25.8 × 18.1 in 1200 × 655 × 460 mm	2491.2 lb 1130 kg	12.32 ft³ 349 L	3
Mosler S-IV KB 6	68.1 × 32.5 × 27.6 in 1730 × 825 × 700 mm	61.0 × 25.8 × 18.1 in 1550 × 655 × 460 mm	2954.2 lb 1340 kg	15.93 ft³ 451 L	4
Mosler S-IV KB 7	70.9 × 46.9 × 28.7 in 1800 × 1190 × 730 mm	63.8 × 40.2 × 19.3 in 1620 × 1020 × 490 mm	3836.0 lb 1740 kg	25.96 ft³ 735 L	4

Additional hardware depth: 2.4 in / 60 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-V

Security safe range with EN 1143-1 · V. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · V

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Two double-bit key locks; two keys per lock

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-V 1	33.9 × 24.4 × 22.8 in 860 × 620 × 580 mm	26.8 × 17.7 × 13.4 in 680 × 450 × 340 mm	1344.8 lb 610 kg	3.50 ft³ 99 L	1
Mosler S-V 2	40.6 × 24.4 × 22.8 in 1030 × 620 × 580 mm	33.5 × 17.7 × 13.4 in 850 × 450 × 340 mm	1521.2 lb 690 kg	4.38 ft³ 124 L	2
Mosler S-V 3	47.2 × 24.4 × 22.8 in 1200 × 620 × 580 mm	40.2 × 17.7 × 13.4 in 1020 × 450 × 340 mm	1697.6 lb 770 kg	5.26 ft³ 149 L	2
Mosler S-V 4	47.2 × 32.5 × 27.6 in 1200 × 825 × 700 mm	40.2 × 25.8 × 18.1 in 1020 × 655 × 460 mm	2248.7 lb 1020 kg	10.49 ft³ 297 L	2
Mosler S-V 5	54.3 × 32.5 × 27.6 in 1380 × 825 × 700 mm	47.2 × 25.8 × 18.1 in 1200 × 655 × 460 mm	2601.5 lb 1180 kg	12.32 ft³ 349 L	3
Mosler S-V 6	68.1 × 32.5 × 27.6 in 1730 × 825 × 700 mm	61.0 × 25.8 × 18.1 in 1550 × 655 × 460 mm	3086.5 lb 1400 kg	15.93 ft³ 451 L	4
Mosler S-V 7	70.9 × 46.9 × 28.7 in 1800 × 1190 × 730 mm	63.8 × 40.2 × 19.3 in 1620 × 1020 × 490 mm	3990.4 lb 1810 kg	25.96 ft³ 735 L	4

Additional hardware depth: 2.4 in / 60 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-V KB

Security safe range with EN 1143-1 · V KB. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · V KB

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Two double-bit key locks; two keys per lock

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-V KB 1	33.9 × 24.4 × 22.8 in 860 × 620 × 580 mm	26.8 × 17.7 × 13.4 in 680 × 450 × 340 mm	1433.0 lb 650 kg	3.50 ft³ 99 L	1
Mosler S-V KB 2	40.6 × 24.4 × 22.8 in 1030 × 620 × 580 mm	33.5 × 17.7 × 13.4 in 850 × 450 × 340 mm	1631.4 lb 740 kg	4.38 ft³ 124 L	2
Mosler S-V KB 3	47.2 × 24.4 × 22.8 in 1200 × 620 × 580 mm	40.2 × 17.7 × 13.4 in 1020 × 450 × 340 mm	1829.8 lb 830 kg	5.26 ft³ 149 L	2
Mosler S-V KB 4	47.2 × 32.5 × 27.6 in 1200 × 825 × 700 mm	40.2 × 25.8 × 18.1 in 1020 × 655 × 460 mm	2433.9 lb 1104 kg	10.49 ft³ 297 L	2
Mosler S-V KB 5	54.3 × 32.5 × 27.6 in 1380 × 825 × 700 mm	47.2 × 25.8 × 18.1 in 1200 × 655 × 460 mm	2910.1 lb 1320 kg	12.32 ft³ 349 L	3
Mosler S-V KB 6	68.1 × 32.5 × 27.6 in 1730 × 825 × 700 mm	61.0 × 25.8 × 18.1 in 1550 × 655 × 460 mm	3483.3 lb 1580 kg	15.93 ft³ 451 L	4
Mosler S-V KB 7	70.9 × 46.9 × 28.7 in 1800 × 1190 × 730 mm	63.8 × 40.2 × 19.3 in 1620 × 1020 × 490 mm	4541.5 lb 2060 kg	25.96 ft³ 735 L	4

Additional hardware depth: 2.4 in / 60 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Mosler S-VI

Security safe range with EN 1143-1 · VI. Compare the available model sizes.

BURGLARY CLASSIFICATION

EN 1143-1 · VI

FIRE-RELATED REFERENCE

DIN 4102

STANDARD LOCK

Two double-bit key locks; two keys per lock

DOOR OPENING

180°

STANDARD COLOR

RAL 7035 · Light gray



Image may show optional equipment or a different size.

Models in this range

U.S. measurements (approx.) with original metric values below

Model	External dimensions	Internal dimensions	Weight	Capacity	Shelves
Mosler S-VI 1	41.1 × 32.3 × 27.1 in 1045 × 820 × 688 mm	34.4 × 25.6 × 17.6 in 875 × 650 × 448 mm	2590.4 lb 1175 kg	9.01 ft³ 255 L	-
Mosler S-VI 2	57.9 × 32.3 × 27.1 in 1470 × 820 × 688 mm	51.2 × 25.6 × 17.6 in 1300 × 650 × 448 mm	3450.2 lb 1565 kg	13.38 ft³ 379 L	-
Mosler S-VI 3	74.6 × 32.3 × 27.1 in 1895 × 820 × 688 mm	67.9 × 25.6 × 17.6 in 1725 × 650 × 448 mm	4343.1 lb 1970 kg	17.73 ft³ 502 L	-
Mosler S-VI 4	74.6 × 44.3 × 27.1 in 1895 × 1126 × 688 mm	67.9 × 37.6 × 13.3 in 1725 × 956 × 338 mm	5599.7 lb 2540 kg	26.10 ft³ 739 L	-

Additional hardware depth: 1.6 in / 40 mm

Confirm the documentation required for your destination.

support@mosler-safe.com

Source specifications & photography

Your project starts with an email.

Tell us what you want to protect, your preferred model, and where your project is located.

01 Safe range and model size

02 Country, state or region, and city

03 Intended contents and installation requirements

support@mosler-safe.com

Price, availability, delivery, and installation arrangements are confirmed by email for each destination.

PRODUCT INFORMATION

Technical specifications and product photography are sourced from Pohlschröder Deutschland GmbH. Product display names use Mosler branding. European classifications are reproduced as stated in the manufacturer information.

www.pohlschroeder.de/tresore

WEBSITE OPERATOR

Pohlschröder Deutschland GmbH
Pagenstecherstraße 143
49090 Osnabrück, Germany